



PMMA POSTERIOR CHAMBER SINGLE PIECE INTRAOCULAR LENS

MODEL- AN 104



RAW MATERIAL CREATED IN USA PLUS UK TECHNOLOGY COLLABORATION BY UAE ASSEMBLED IN INDIA

Equiconvex Optic | Imported Raw Material blank

THINK EYE VISION THINK A&N

PMMA POSTERIOR CHAMBER SINGLE PIECE Intraocular Lens – a&n ALPHA PMMA

Model	AN 104
Design	
Optic Design	Equiconvex
Optic Size	6.00mm
Over All length	12.50mm
A-Constant	118.4
AC Depth	5.00mm

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.





MANUFACTURING LICENCE NUMBER- MFG/MD/2022/000631

OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz





IRIS CLAW INTRAOCULAR LENS MODEL- AN 116, 117




RAW MATERIAL CREATED IN USA PLUS UK TECHNOLOGY COLLABORATION BY UAE ASSEMBLED IN INDIA

IRIS CLAW | PIANO CONCAVE | BI-CONVEX

THINK EYE VISION THINK A&N

IRIS CLAW INTRAOCULAR LENS MODEL - a&n IRIS

Model	AN 116 and AN 117
Design	Biconvex - Convex Concave (according to the diopter)
Optic Design	
Optic Size	AN 116- 5.00 MM and AN 117- 5.50mm
Over All length	8.50mm
A-Constant	Anterior Side : 115.0 - Posterior Side : 117.4
AC Depth	2.95mm

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER- MFG/MD/2022/000631

OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz





YELLOW PMMA POSTERIOR CHAMBER SINGLE PIECE 360 DEGREE SQUARE EDGE ASPHERIC INTRAOCULAR LENS

MODEL- AN 204




RAW MATERIAL CREATED IN USA PLUS UK
TECHNOLOGY COLLABORATION BY UAE
ASSEMBLED IN INDIA

Equiconvex Optic | Yellow Imported Raw Material blank

THINK EYE VISION THINK A&N

Yellow PMMA POSTERIOR CHAMBER SINGLE PIECE Intraocular Lens – a&n ALPHA GOLD PLUS

Model	AN 204
Design	Equiconvex – 360° Square Edge with Aspheric Optic
Optic Design	
Optic Size	6.00mm
Over All length	12.50mm
A-Constant	118.4
AC Depth	5.00mm

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER-
MFG/MD/2022/000631

OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz





HYDROPHILIC ACRYLIC 360° SQUARE EDGE ASPHERIC FOLDABLE INTRAOCULAR LENS

MODEL- AN 306, 307, 308



RAW MATERIAL CREATED IN USA PLUS UK
TECHNOLOGY COLLABORATION BY UAE
ASSEMBLED IN INDIA

Aspheric Optic | Square Edge | Imported Raw Material blank |
Available in Dual Haptic, Modified C and Four Haptic

THINK EYE VISION THINK A&N

Hydrophilic Acrylic 360° Square Edge Aspheric Foldable Intraocular Lens - a&n BETA PLUS

Model	AN 306	AN 307	AN 308
Design			
Optic Design	Equiconvex - 360° Square Edge with Aspheric Optic		
Optic Size	6.00mm		
Over All length	12.50mm	11.00mm	
Estimated A-Constant	118.00		
Recommended Optical A-Constant	A Constant SRK/T : 118.40 A Constant SRK/II : 118.70		
	Hoffer Q : 5.14 Holladay 1 : 1.35 Holladay 2 : 5.199 Haigis : a0=0.912/a1=0.400/a2=0.100		
Diopter Range	5.00 D to 30.00 D (0.5 Diopter increments)		
AC Depth	5.00mm		
Refractive Index	1.46		
Water Content	26%		

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER-
MFG/MD/2022/000631



OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz



YELLOW HYDROPHILIC ACRYLIC 360° SQUARE EDGE ASPHERIC FOLDABLE INTRAOCULAR LENS

MODEL- AN 401



RAW MATERIAL CREATED IN USA PLUS UK
TECHNOLOGY COLLABORATION BY UAE
ASSEMBLED IN INDIA


Aspheric Optic | Square Edge | Yellow Imported Raw Material
blank

THINK EYE VISION THINK A&N

Yellow Hydrophilic Acrylic 360° Square Edge Aspheric Foldable Intraocular Lens – a&n BETA GOLD

Model	AN 401
Design	
Optic Design	Equiconvex - 360° Square Edge with Aspheric Optic
Optic Size	6.00mm
Over All length	12.50mm
Estimated A-Constant	118.00
Recommended Optical A-Constant	A Constant SRK/T : 118.40 A Constant SRK/II : 118.70 Hoffer Q : 5.14 Holladay 1 : 1.35 Holladay 2 : 5.199 Haigis : a0=0.912/a1=0.400/a2=0.100
Diopter Range	5.00 D to 30.00 D (0.5 Diopter increments)
AC Depth	5.00mm
Refractive Index	1.46
Water Content	26%

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER-
MFG/MD/2022/000631



OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz



HYDROPHOBIC ACRYLIC 360° SQUARE EDGE ASPHERIC FOLDABLE IOL

MODEL- AN 505



RAW MATERIAL CREATED IN USA PLUS UK
TECHNOLOGY COLLABORATION BY UAE
ASSEMBLED IN INDIA

IMPROVEMENT OF THE DEPTH OF FOCUS AND CONTRAST SENSITIVITY | IMPORTED USA BLANC | BETTER VISION IN CASE OF DECENTERING AND TILTING OF THE LENS

THINK EYE VISION THINK A&N

HYDROPHOBIC Acrylic 360° Square Edge Aspheric Foldable IOL – a&n GAMA PLUS

Model	AN 505
Design	
Optic Design	Equiconvex - 360° Square Edge with Aspheric Optic
Optic Size	6.00mm
Over All length	13.00mm
Estimated A-Constant	118.40
Recommended Optical A-Constant	A Constant SRK/T : 119.20 A Constant SRK/II : 119.50 Hoffer Q : 5.65 Holladay 1 : 1.87 Holladay 2 : 5.199 Haigis : a0=1.441/a1=0.400/a2=0.100
Diopter Range	5.00 D to 30.00 D (0.5 Diopter increments)
AC Depth	5.28mm
Refractive Index	1.493

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER-
MFG/MD/2022/000631

OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz





**HYDROPHOBIC POSTERIOR CHAMBER
ACRYLIC MULTIFOCAL DIFFRACTIVE-
REFRACTIVE 360° SQUARE EDGE ASPHERIC
FOLDABLE IOL**



MODEL- AN 507

**RAW MATERIAL CREATED IN USA PLUS UK
TECHNOLOGY COLLABORATION BY UAE
ASSEMBLED IN INDIA**

DIFFRACTIVE ZONES ON THE ANTERIOR SURFACE AND POSTERIOR ASPHERIC SURFACE WITH 360° SQUARE EDGE PROVIDES EXCELLENT VISUAL PERFORMANCE UNDER ALL LIGHT CONDITIONS | BALANCED RNI OF 60% FOR DISTANCE VISION AND 40% FOR NEAR VISION AT 3.5MM PUPIL APERTURE.

THINK EYE VISION THINK A&N

**HYDROPHOBIC POSTERIOR CHAMBER Acrylic MULTIFOCAL DIFFRACTIVE-
REFRACTIVE 360° Square Edge Aspheric Foldable IOL - a&n GAMA MF**



Model	AN-507
Design	
Optic Design	Equiconvex - 360° Square Edge with Aspheric & Diffractive - Refractive Optic
Optic Size	6.00mm
Over All length	13.00mm
Estimated A-Constant	118.40
Recommended Optical A-Constant	A Constant SRK/T : 119.20 A Constant SRK/II : 119.50 Hoffer Q : 5.65 Holladay 1 : 1.87 Holladay 2 : 5.199 Haigis : a0=1.441/a1=0.400/a2=0.100
Diopter Range	5.00 D to 30.00 D (0.5 Diopter increments)
Near Addition	+ 3.50D (Special order: +2.50D - 4.00D)
AC Depth	5.00mm
Refractive Index	1.493

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER-
MFG/MD/2022/000631

OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz





EDOF HYDROPHOBIC POSTERIOR CHAMBER ACRYLIC 360° SQUARE EDGE ASPHERIC FOLDABLE IOL

MODEL- AN 512



RAW MATERIAL CREATED IN USA PLUS UK
TECHNOLOGY COLLABORATION BY UAE
ASSEMBLED IN INDIA

FREE OF GLISTENING | ONE PIECE WITH C-LOOP DESIGN |
PURE REFRACTIVE OPTICS TECHNOLOGY, WITH NO
DIFFRACTIVE PART

THINK EYE VISION THINK A&N

EDOF Hydrophobic Acrylic Posterior Chamber Aspheric 360° Square Edge Single Piece Foldable Intraocular Lens – a&n GAMA EDOF



Model	AN 512
Optic Design	Biconvex - 360° Square Edge with Refractive Optic
Optic Size	6.00mm
Over All length	13.00mm
Estimated A-Constant	118.40
Recommended Optical A-Constant	A Constant SRK/T : 119.20 A Constant SRK/II : 119.50
	Hoffer Q : 5.65 Holladay 1 : 1.87 Holladay 2 : 5.199 Haigis : a0=1.441/a1=0.400/a2=0.100
Diopter Range	5.00 D to 30.00 D (0.5 Diopter increments)
Intermediate Addition	+ 2.00D
AC Depth	5.00mm
Refractive Index	1.493

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER-
MFG/MD/2022/000631

OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz





HYDROPHOBIC ACRYLIC 360° SQUARE EDGE ASPHERIC FOLDABLE IOL PRELOADED

MODEL- AN 518



RAW MATERIAL CREATED IN USA PLUS UK
 TECHNOLOGY COLLABORATION BY UAE
 ASSEMBLED IN INDIA

IMPROVEMENT OF THE DEPTH OF FOCUS AND CONTRAST SENSITIVITY | IMPORTED USA BLANC | BETTER VISION IN CASE OF DECENTERING AND TILTING OF THE LENS

THINK EYE VISION THINK A&N

HYDROPHOBIC Acrylic 360° Square Edge Aspheric Foldable IOL – a&n GAMA PLUS PRELOADED




ALSO AVAILABLE IN MEDICEL INJECTOR SYSTEM WITH 2.2MM INCISION SIZE (INTO THE WOUND TECHNIQUE)



Model	AN 518
Optic Design	Equiconvex - 360° Square Edge with Aspheric Optic
Optic Size	6.00mm
Over All length	13.00mm
Estimated A-Constant	118.40
Recommended Optical A-Constant	A Constant SRK/T : 119.20 A Constant SRK/II : 119.50
	Hoffer Q : 5.65 Holladay 1 : 1.87 Holladay 2 : 5.199 Haigis : a0=1.441/a1=0.400/a2=0.100
Diopter Range	5.00 D to 30.00 D (0.5 Diopter increments)
AC Depth	5.28mm
Refractive Index	1.493

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER-
 MFG/MD/2022/000631



OHVEM SALES CORPORATION
 O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
 CHHATTISGARH
 Number- +91 9993088930
 ohvem@yahoo.com, ohvem.india@outlook.com
 www.ohvem.biz



YELLOW HYDROPHOBIC ACRYLIC 360° SQUARE EDGE ASPHERIC FOLDABLE IOL

MODEL- AN 604



RAW MATERIAL CREATED IN USA PLUS UK
TECHNOLOGY COLLABORATION BY UAE
ASSEMBLED IN INDIA

IMPROVEMENT OF THE DEPTH OF FOCUS AND CONTRAST SENSITIVITY | IMPORTED YELLOW BLANC | BETTER VISION IN CASE OF DECENTERING AND TILTING OF THE LENS

THINK EYE VISION THINK A&N

YELLOW HYDROPHOBIC Acrylic 360° Square Edge Aspheric Foldable IOL – a&n GAMA GOLD PLUS

MANUFACTURING LICENCE NUMBER- MFG/MD/2022/000631



WHY HIDE BEHIND THE GLASSES WHEN YOU CAN SEE WITHOUT



Model	AN 604
Design	
Optic Design	Equiconvex - 360° Square Edge with Aspheric Optic
Optic Size	6.00mm
Over All length	13.00mm
Estimated A-Constant	118.40
Recommended Optical A-Constant	A Constant SRK/T : 119.20 A Constant SRK/II : 119.50
	Hoffer Q : 5.65 Holladay 1 : 1.87 Holladay 2 : 5.199 Haigis : a0=1.441/a1=0.400/a2=0.100
Diopter Range	5.00 D to 30.00 D (0.5 Diopter increments)
AC Depth	5.28mm
Refractive Index	1.493

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz





EDOF YELLOW HYDROPHOBIC ACRYLIC 360° SQUARE EDGE ASPHERIC FOLDABLE IOL PRELOADED

MODEL- AN 624



RAW MATERIAL CREATED IN USA PLUS UK TECHNOLOGY COLLABORATION BY UAE ASSEMBLED IN INDIA



THINK EYE VISION THINK A&N

EDOF YELLOW HYDROPHOBIC Acrylic 360° Square Edge Aspheric Foldable IOL – a&n GAMA GOLD EDOF PRELOADED



ALSO AVAILABLE IN MEDICEL INJECTOR SYSTEM WITH 2.2MM INCISION SIZE (INTO THE WOUND TECHNIQUE)

This ONE PIECE with C-LOOP Design is a 360° Square Edge Intraocular lens made with hydrophobic material. It is certified "free of glistening" with high sensitivity contrast for better visual acuity.

How does it work?

The center part, a 2 mm zone, is a pure refractive optic that combine different spherical aberrations of opposite sign to optimize and increase the depth of focus.

The transition zone is designed to decrease the optic vergence from the center to the periphery and to control the trajectory of the light rays. It is a very important zone as it reduces drastically the light loss.

The Far Vision zone is a monofocal aspheric surface, similar to our monofocal IOL.

Model	AN 624
Design	
Optic Design	Biconvex - 360° Square Edge with Refractive Optic
Optic Size	6.00mm
Over All length	13.00mm
Estimated A-Constant	118.40
Recommended Optical A-Constant	A Constant SRK/T : 119.20 A Constant SRK/II : 119.50 Hoffer Q : 5.65 Holladay 1 : 1.87 Holladay 2 : 5.199 Haigis : a0=1.441/a1=0.400/a2=0.100
Diopter Range	5.00 D to 30.00 D (0.5 Diopter increments)
Intermediate Addition	+ 2.00D
AC Depth	5.00mm
Refractive Index	1.493
Cartridge Size	PRELOADED

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER- MFG/MD/2022/000631




OHVEM SALES CORPORATION
 O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
 CHHATTISGARH
 Number- +91 9993088930
 ohvem@yahoo.com, ohvem.india@outlook.com
 www.ohvem.biz



PMMA ANTERIOR CHAMBER SINGLE PIECE INTRAOCULAR LENS

MODEL- AN 110



RAW MATERIAL CREATED IN USA PLUS UK TECHNOLOGY COLLABORATION BY UAE ASSEMBLED IN INDIA

Equiconvex Optic | Imported Raw Material blank

THINK EYE VISION THINK A&N

PMMA ANTERIOR CHAMBER SINGLE PIECE Intraocular Lens – a&n ALPHA AC

Model	AN 110
Design	
Optic Design	Equiconvex
Optic Size	6.00mm
Over All length	12.50mm
A-Constant	115.3
AC Depth	2.95mm

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER- MFG/MD/2022/000631

OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz





YELLOW HYDROPHOBIC ACRYLIC 360° SQUARE EDGE ASPHERIC FOLDABLE IOL PRELOADED

MODEL- AN 617



RAW MATERIAL CREATED IN USA PLUS UK
TECHNOLOGY COLLABORATION BY UAE
ASSEMBLED IN INDIA

IMPROVEMENT OF THE DEPTH OF FOCUS AND CONTRAST SENSITIVITY | IMPORTED USA BLANC | BETTER VISION IN CASE OF DECENTERING AND TILTING OF THE LENS

THINK EYE VISION THINK A&N

YELLOW HYDROPHOBIC Acrylic 360° Square Edge Aspheric Foldable IOL – a&n GAMA GOLD PLUS PRELOADED



ALSO AVAILABLE IN MEDICEL INJECTOR SYSTEM WITH 2.2MM INCISION SIZE (INTO THE WOUND TECHNIQUE)



Model	AN 617
Optic Design	Equiconvex - 360° Square Edge with Aspheric Optic
Optic Size	6.00mm
Over All length	13.00mm
Estimated A-Constant	118.40
Recommended Optical A-Constant	A Constant SRK/T : 119.20 A Constant SRK/II : 119.50
	Hoffer Q : 5.65 Holladay 1 : 1.87 Holladay 2 : 5.199 Haigis : a0=1.441/a1=0.400/a2=0.100
Diopter Range	5.00 D to 30.00 D (0.5 Diopter increments)
AC Depth	5.28mm
Refractive Index	1.493

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



MANUFACTURING LICENCE NUMBER-
MFG/MD/2022/000631



OHVEM SALES CORPORATION
O/8 ANUPAM NAGAR NEAR TV TOWER RAIPUR
CHHATTISGARH
Number- +91 9993088930
ohvem@yahoo.com, ohvem.india@outlook.com
www.ohvem.biz